





2013 CA ACCESSIBILITY REQUIREMENTS 11B-226



AT LEAST 5%, BUT AT LEAST ONE OF THE SEATING SPACES IN EACH FUNCTIONAL AREA IS ACCESSIBLE AND PROVIDES CLEARANCES AS SHOWN. KNEE CLEARANCES UNDER TABLES SHALL BE A MINIMUM OF 27" HIGH, 30" WIDE AND 19" DEEP. ACCESS TO ACCESSIBLE SEATING SPACES IS PROVIDED BY MAIN AISLES A MINIMUM OF 36" WIDE. EQUIVALENT SERVICES AND DECOR MUST BE PROVIDED AT ACCESSIBLE SEATING SPACES AS FOR THE GENERAL PUBLIC.

CBC11B-226 SEATING AND TABLES

WHERE FOOD OR DRINK IS SERVED AT COUNTERS EXCEEDING 34" IN HEIGHT FOR CONSUMPTION BY CUSTOMERS SEATED ON STOOLS OR STANDING AT THE COUNTER, A PORTION OF THE MAIN COUNTER WHICH IS A MINIMUM OF 60" IN LENGTH SHALL BE PROVIDED WHICH IS A MAXIMUM OF 34" IN HEIGHT, AND PROVIDES KNEE CLEARANCE THAT IS AT LEAST 27" HIGH, 19" DEEP, AND 30" WIDE.



CBC 11B-226.3 COUNTERS